Sikagard[®]-700 S



VersionRevision Date:2.02020/10/26		SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
1. PRODUC	T AND COMPANY IDE	ENTIFICATION	
Produc	ct name	Sikagard®-700 S	
Produc	ct code	00000003795	

Manufacturer or supplier's details

Company	: Sika (Thailand) Limited
	700/37 Moo. 5 Amata Nakorn Estate
	Bangna-Trad Km.57
	Tambol Klong Tamhru
	Muang District
	Chonburi 20000
	Thailand
Telephone	: +66 3810 9500
Emergency telephone num-	÷ +66 3821 4270-85
ber	
Telefax	÷ +66 3821 4286
E-mail address	Sikathai@th.sika.com

Recommended use of the chemical and restrictions on use

Product use : Surfaces protection

2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
Specific target organ toxicity - single exposure	:	Category 3(Central nervous system)
Specific target organ toxicity - repeated exposure (Inhalation)		Category 1 (Central nervous system)
Aspiration hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger

Sikagard[®]-700 S



Version 2.0	Revision Date: 2020/10/26	SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
Hazar	rd statements	H226 Flammable liquid and H304 May be fatal if swallo H336 May cause drowsine H372 Causes damage to o through prolonged or repea H411 Toxic to aquatic life v	owed and enters airways. ss or dizziness. organs (Central nervous system) ated exposure if inhaled.
Preca	utionary statements	² Prevention	
		No smoking. P233 Keep container tightly P240 Ground/bond contain P241 Use explosion-proof of ment. P242 Use only non-sparkin P243 Take precautionary n P260 Do not breathe dust P264 Wash skin thoroughly P270 Do not eat, drink or s P271 Use only outdoors or P273 Avoid release to the	er and receiving equipment. electrical/ventilating/lighting equip- ng tools. neasures against static discharge. fume/gas/mist/vapours/spray. y after handling. smoke when using this product.
		CENTER or doctor/physici P303 + P361 + P353 IF ON mediately all contaminated shower. P304 + P340 + P312 IF INH keep at rest in a position of POISON CENTER or docto P314 Get medical advice/a P331 Do NOT induce vomi	SKIN (or hair): Remove/Take off im- d clothing. Rinse skin with water/ ALED: Remove victim to fresh air and omfortable for breathing. Call a or/physician if you feel unwell. attention if you feel unwell. iting. : Use dry sand, dry chemical or alco-
		tightly closed.	I-ventilated place. Keep container I-ventilated place. Keep cool.

Sikagard[®]-700 S



Version	Revision Date:	SDS Number:	Date of last issue: 2018/06/21
2.0	2020/10/26	00000003795	Date of first issue: 2018/06/21

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrocarbons, C9-C12, n-alkanes, isoalkanes,	64742-82-1	>=90 -<= 100
cyclics, aromatics (2-25%)		

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Risk of serious damage to the lungs (by aspiration). Aspiration may cause pulmonary oedema and pneumonitis. Loss of balance Vertigo See Section 11 for more detailed information on health effects and symptoms.
		2.11

Sikagard[®]-700 S



Versi 2.0		Revision Date: 2020/10/26		SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
				May be fatal if swallowed and enter May cause drowsiness or dizzines Causes damage to organs through exposure if inhaled.	S.
	Notes to p	hysician	:	Treat symptomatically.	
5. FI	REFIGHTI	NG MEASURES			
	Suitable e	xtinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
	Unsuitable media	extinguishing	:	Water High volume water jet	
	Specific ha fighting	azards during fire-	:	Do not use a solid water stream as fire. Do not allow run ₋ off from fire fightin courses.	
	Hazardous ucts	s combustion prod-	:	No hazardous combustion product	ts are known
	Specific ex ods	tinguishing meth-	:	Use water spray to cool unopened Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fir be disposed of in accordance with	shing water separately. This s. e extinguishing water must
	Special pro	otective equipment ters	:	In the event of fire, wear self-conta	ined breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Use personal protective equipment. Remove all sources of ignition. Deny access to unprotected persons.
Environmental precautions :	Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for solution: solution soluti solution solution solution solut	Contain spillage, and then collect with non-combustible absor- bent material, (e.g. sand, earth, diatomaceous earth, vermicu- lite) and place in container for disposal according to local /

Sikagard[®]-700 S



Version 2.0	Revision Date: 2020/10/26		SDS Number: 000000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
		n	ational regulations (see se	ection 13).
7. HAND	LING AND STORAGE			
	ice on protection against and explosion	k s	moking.	nent. ks/open flames/hot surfaces. No res against electrostatic discharges.
Adv	ice on safe handling	א כ ד כ ד ת F	ection 8). Oo not get in eyes, on skin, For personal protection see Smoking, eating and drinkin lication area. Fake precautionary measur Open drum carefully as cor Fake necessary action to a which might cause ignition	occupational exposure limits (see or on clothing. e section 8. Ing should be prohibited in the ap- res against static discharge. Intent may be under pressure. void static electricity discharge
Con	ditions for safe storage	K C k C	Store in original container. Geep in a well-ventilated pla Containers which are open ept upright to prevent leak Observe label precautions. Store in accordance with lo	ed must be carefully resealed and age.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Sikagard[®]-700 S



Version 2.0	Revision Date: 2020/10/26		SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
Hand protection		:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.	
Eye protection		:	Safety eyewear complying with a be used when a risk assessment	
Skin and body protection		:	Choose body protection in relatio tration and amount of dangerous cific work-place.	
Hyg	iene measures	:	Handle in accordance with good practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	colourless
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing	:	No data available
point Boiling point∕boiling range	:	No data available
Flash point	:	ca. 30 °C (86 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit⊭Upper flammability limit	:	6.5 %(V)
Lower explosion limit / Lower flammability limit	:	0.6 %(V)
Vapour pressure	:	3.9997 hPa

Sikagard[®]-700 S



Versic 2.0	on Revision Date: 2020/10/26		SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
I	Relative vapour density	:	No data available	
I	Density	:	$ca,0.8g/cm3(20^{\circ}C(68^{\circ}F))$	
:	Solubility(ies)			
	Water solubility	:	insoluble	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	235 °C	
I	Decomposition temperature	:	No data available	
·	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	< 20.5 mm2/s (40 °C (104 °F))	
I	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	No data available
Hazardous decomposition products	:	methanol

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Sikagard[®]-700 S



2.0 2020/10/26 00000003795 Date of first issue: 2018/06/21	Version	Revision Date:	SDS Number:	Date of last issue: 2018/06/21
	2.0	2020/10/26	00000003795	Date of first issue: 2018/06/21

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

Sikagard[®]-700 S



Version 2.0	Revision Date: 2020/10/26		SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21
13. DISPO	SAL CONSIDERATION	NS		
Disp	osal methods			
Wast	e from residues	:	courses or the soil	allowed to enter drains, water , waterways or ditches with chemi- nanagement company.
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused prod Do not re-use empty contai Do not burn, or use a cuttir	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels	:	UN 1263 PAINT 3 III 3
IATA-DGR		
UN/ID No.	:	UN 1263
Proper shipping name	:	Paint
Class	:	3
Packing group	:	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code		
UN number	:	UN 1263
Proper shipping name	:	PAINT
		(naphtha (petroleum))
Class	:	3
Packing group	:	III
Labels	:	3
EmS Code	:	F-E, S-E

Sikagard[®]-700 S



ersion)	Revision Date: 2020/10/26		SDS Number: 000000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21	
Marine	e pollutant	: ye	S		
Trans	port in bulk according	to Anr	nex II of MARPOL 73	78 and the IBC Code	
	plicable for product as s				
	al precautions for user				
-	-		d herein are for inforn	national purposes only, and solely based	
	• •			scribed within this Safety Data Sheet	
Transp	portation classifications r	may va		ortation, package sizes, and variations in	
region	al or country regulations	5 .			
5. REGUL	ATORY INFORMATION	1			
Safety	, health and environm	ental r	egulations/legislatio	n specific for the substance or mixture	
	,,		- <u>-</u>		
Interna	ational Chemical Weapo	ns Con	ivention (CWC) :	Not applicable	
Sched	lules of Toxic Chemicals	and P	recursors		
Hazar	dous Substance Act			Conditions of restriction for the fol-	
Παζαιν				lowing entries should be considered	
				Not applicable	
_					
Emerg Substa	gency Decree on Control	lling the	e Use of Volatile	Not applicable	
Cubble					
Volotil	o organia compoundo	Di.	continuo 2010 75 ELL of	24 November 2010 on industrial	
volatil	e organic compounds				
			emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 92 %		
Date fo	ormat	: уу	yy/mm/dd		
Full te	ext of other abbreviatio	ons			
ADR				oncerning the International Carriage of	
			ingerous Goods by R		
040			emical Abstracts Ser	VICE	
			Derived no-effect level Half maximal effective concentration		
DNEL				oncentration	
DNEL EC50		: Ha	If maximal effective o		
DNEL		: Ha : Glo	lf maximal effective of bally Harmonized Sy	vstem	
DNEL EC50 GHS		: Ha : Glo : Int	lf maximal effective c obally Harmonized Sy ernational Air Transp	vstem	
DNEL EC50 GHS IATA		: Ha : Glo : Int : Int	If maximal effective of obally Harmonized Sy ernational Air Transp ernational Maritime C	/stem ort Association	

10/11

test animals)

Sikagard[®]-700 S



Version 2.0	Revision Date: 2020/10/26		SDS Number: 00000003795	Date of last issue: 2018/06/21 Date of first issue: 2018/06/21	
LC50		:	Median lethal concentration (cond air that kills 50% of the test anima period)		
MARPO	L	:	International Convention for the F Ships, 1973 as modified by the P		
OEL		:	Occupational Exposure Limit		
PBT		:	Persistent, bioaccumulative and toxic		
PNEC		:	Predicted no effect concentration		
REACH		:	Regulation (EC) No 1907/2006 of the European Parliament and		
			of the Council of 18 December 20 tion, Evaluation, Authorisation an (REACH), establishing a Europea	d Restriction of Chemicals	
SVHC		:	Substances of Very High Concer	'n	
vPvB		:	Very persistent and very bioaccu	mulative	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN