# Sikafloor® CureHard-24



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/04/30

 4.0
 2020/10/26
 000000608799
 Date of first issue: 2015/06/17

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sikafloor® CureHard-24

Product code : 000000608799

Manufacturer or supplier's details

Company : Sika (Thailand) Limited

700/37 Moo. 5 Amata Nakorn Estate

Bangna-Trad Km.57 Tambol Klong Tamhru

Muang District Chonburi 20000 Thailand

Telephone : +66 3810 9500 Emergency telephone num- : +66 3821 4270-85

ber

Telefax : +66 3821 4286

E-mail address : Sikathai@th.sika.com

Recommended use of the chemical and restrictions on use

Product use : Concrete protection

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin corrosion/irritation : Category 1

Serious eye damage/eye irri-

tation

Category 1

**GHS** label elements

Hazard pictograms

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/

face protection.

# Sikafloor® CureHard-24



Version 4.0

Revision Date: 2020/10/26

SDS Number: 000000608799

Date of last issue: 2018/04/30 Date of first issue: 2015/06/17

## Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $P303 + P361 + P353 \,IF \,\, ON \,\, SKIN \,\, (or \,\, hair); \, Remove/\, Take \,\, off \,\, immediately \,\, all \,\, contaminated \,\, clothing. \,\, Rinse \,\, skin \,\, with \,\, water/shower.$ 

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a POISON CENTER or doctor/physician.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

No hazardous ingredients

### 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

# Sikafloor® CureHard-24



Version Revision Date: 4.0 2020/10/26

SDS Number: 000000608799

Date of last issue: 2018/04/30 Date of first issue: 2015/06/17

ty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Health injuries may be delayed.

corrosive effects

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms.

Causes serious eye damage.

Causes severe burns.

Notes to physician : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Hazardous combustion prod-

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Deny access to unprotected persons.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

## Sikafloor® CureHard-24



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/04/30

 4.0
 2020/10/26
 000000608799
 Date of first issue: 2015/06/17

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid

binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### 7. HANDLING AND STORAGE

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Conditions for safe storage Store in original container.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained

breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

# Sikafloor® CureHard-24



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/04/30

 4.0
 2020/10/26
 000000608799
 Date of first issue: 2015/06/17

essary.

Eye protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

Skin and body protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear

Odour : odourless

Odour Threshold : No data available

pH :  $ca. 11.86 (25 \, ^{\circ}C (77 \, ^{\circ}F))$ 

Melting point/range / Freezing

Boiling point/boiling range

point

nint .

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit/Upper

flammability limit

No data available

No data available

No data available

Lower explosion limit/Lower

flammability limit

No data available

Vapour pressure : 23 hPa

Relative vapour density : No data available

Density : ca. 1.235 g/cm3 (25 °C (77 °F))

# Sikafloor® CureHard-24



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2018/04/30

 4.0
 2020/10/26
 000000608799
 Date of first issue: 2015/06/17

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n- : No

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 5.0 - 15.0 mPa.s (25 °C (77 °F))

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

### 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Not classified based on available information.

### Skin corrosion/irritation

Causes severe burns.

## Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

# Sikafloor® CureHard-24



Version 4.0 Revision Date: 2020/10/26

SDS Number: 000000608799

Date of last issue: 2018/04/30 Date of first issue: 2015/06/17

## Respiratory sensitisation

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Aspiration toxicity**

Not classified based on available information.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

No data available

## Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

## Other adverse effects

### Product:

Additional ecological infor-

There is no data available for this product.

mation

### 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

# Sikafloor® CureHard-24



Version 4.0

Revision Date: 2020/10/26

SDS Number: 000000608799

Date of last issue: 2018/04/30 Date of first issue: 2015/06/17

Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC)

Schedules of Toxic Chemicals and Precursors

Not applicable

Hazardous Substance Act

Conditions of restriction for the following entries should be considered:

Not applicable

Emergency Decree on Controlling the Use of Volatile

Substances

Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control)

Not applicable

## **16. OTHER INFORMATION**

Date format : yyyy/mm/dd

Full text of other abbreviations

ADR : European Agreement concerning the International Carriage of

Dangerous Goods by Road

CAS : Chemical Abstracts Service

DNEL : Derived no effect level

8/9

# Sikafloor® CureHard-24



Version 4.0	Revision Date: 2020/10/26		SDS Number: 000000608799	Date of last issue: 2018/04/30 Date of first issue: 2015/06/17
EC50		:	Half maximal effective conce	entration
GHS	GHS :		Globally Harmonized System	
IATA		:	International Air Transport Association	
IMDG		:	International Maritime Code for Dangerous Goods	
LD50	.D50 : Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50		:		concentrations of the chemical in nimals during the observation
MARPOL		:	International Convention for Ships, 1973 as modified by	the Prevention of Pollution from the Protocol of 1978
OEL		:	Occupational Exposure Limi	
PBT		:	Persistent, bioaccumulative	and toxic
PNEC		:	Predicted no effect concentr	ration
REACH		:	of the Council of 18 Decemb	06 of the European Parliament and oper 2006 concerning the Registration and Restriction of Chemicals ropean Chemicals Agency
SVHC		:	Substances of Very High Co	oncern
vPvB		:	Very persistent and very bio	accumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. TH / EN